२७% रह ५<mark>८७५ ३:1</mark>४२४ - ४१ //७९ स्ट. ५५७०

Serial No. 10/690,670

LISTING OF CLAIMS:

1-34 (Canceled)

35. (Currently amended) A composite type compressor, compressor comprising:

- an input means-rotor for receiving power from an external drive source;
- a dynamotor for operating as a motor and/or and a generator;
- a compressor for compressing a fluid-when it is driven by said motor and /or said generator, wherein the compressor is driven by the dynamotor and the external drive source;
- a control unit for eentrolling the dynamotor to control the rotational speed of said compressor to be increased by supplying power to said dynamotor as a motor, or controlling the rotational speed to be reduced by operating as a generator, when said compressor is rotationally driven by said external drive source, wherein the control unit supplies power to the dynamotor, at a time when the dynamotor functions as a motor, to increase the rotational speed of the compressor while maintaining the rotational speed of the input rotor, wherein the dynamotor alternatively functions as a generator to decrease the rotational speed of the compressor while maintaining the speed of the input rotor.
- 36. (Currently amended) A composite type compressor according to claim 35, wherein said compressor can be rotationally driven by said dynamotor when said external drive source is stopped.

Serial No. 10/590,670

- 37. (Currently amended) A composite type-compressor according to claim 35, wherein the power output from said dynamotor is controlled by duty factor control operation.
- 38. (Currently amended) A composite type-compressor according to claim 36, wherein a power output from said dynamotor is controlled by duty factor control operation.
- 39. (Currently amended) A composite type compressor according to claim 35, wherein said compressor is a fixed displacement compressor.
- 40. (Currently amended) A composite type compressor according to claim 36, wherein said compressor is a fixed displacement compressor.
- 41. (Currently amended) A composite type compressor according to claim 37, wherein said compressor is a fixed displacement compressor.
- 42. (Currently amended) A composite type compressor according to claim 38, wherein said compressor is a fixed displacement compressor.
- 43. (New) A compressor according to claim 35, wherein the dynamotor includes a field portion and an armature portion that are rotatable with respect to a housing of the compressor, and wherein the input rotor is connected to one of the field portion and the armature portion, and

яны протору нь 1920 — МИ шинелией форт —

ScHal No. 10/690,670

a drive shaft of the compressor is connected to the other of the field portion and the armature portion.

- 44. (New) A compressor according to claim 35, wherein the control unit is located between the dynamotor and a battery, and the control unit rotationally drives the dynamotor such that the dynamotor functions as a motor, causes the dynamotor to function as a generator that supplies power to the battery, and operates the dynamotor in an unloaded mode.
- 45. (New) A method for controlling a dynamotor driven compressor in which power of an input rotor, which receives power from an external drive source, is transmitted to a compressor via a dynamotor, the method comprising:

increasing the rotational speed of the compressor while the rotational speed of the input rotor is not changed, at a time when the dynamotor is operated as a motor; and

reducing the rotational speed of the compressor while the rotational speed of the input rotor is not changed, at a time when the dynamotor is operated as a generator.

46. (New) The method of claim 45 further comprising:

employing a pulley as the input rotor; and

transmitting torque from the external drive source to the input rotor with a belt.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
	☐ BLACK BORDERS
	☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
	☐ FADED TEXT OR DRAWING
	BLURRED OR ILLEGIBLE TEXT OR DRAWING
	☐ SKEWED/SLANTED IMAGES
	☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
	☐ GRAY SCALE DOCUMENTS
	☐ LINES OR MARKS ON ORIGINAL DOCUMENT
	☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
	Потпер.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.